

AK192009D
Part No 350609

EIGHTCHECK-3WP ASSAY SHEET

Normal Level

For XP series



LOT 2337 0822



11-Mar-2023



| Parameters | Mean | Limit % | Limit # | Range | Barcode |
|-------------|-----------------------|---------|---------|-------|---------|
| WBC | [10 ³ /μL] | 7.1 | 7.0 | 0.5 | 7.6 |
| | | | | | 6.6 |
| RBC | [10 ⁶ /μL] | 4.36 | 4.0 | 0.17 | 4.53 |
| | | | | | 4.19 |
| HGB | [g/dL] | 12.3 | 3.0 | 0.4 | 12.7 |
| | | | | | 11.9 |
| | [mmol/L] | 7.6 | 3.0 | 0.2 | 7.8 |
| | | | | | 7.4 |
| HCT | [%] | 35.0 | 7.5 | 2.6 | 37.6 |
| | | | | | 32.4 |
| | [L/L] | 0.350 | 7.5 | 0.026 | 0.376 |
| | | | | | 0.324 |
| MCV | [fL] | 80.2 | 5.0 | 4.0 | 84.2 |
| | | | | | 76.2 |
| MCH | [pg] | 28.2 | 5.5 | 1.6 | 29.8 |
| | | | | | 26.6 |
| | [amol] | 1751 | 5.5 | 96 | 1847 |
| | | | | | 1655 |
| MCHC | [g/dL] | 35.1 | 7.0 | 2.5 | 37.6 |
| | | | | | 32.6 |
| | [mmol/L] | 21.8 | 7.0 | 1.5 | 23.3 |
| | | | | | 20.3 |
| PLT | [10 ³ /μL] | 239 | 15 | 36 | 275 |
| | | | | | 203 |
| W-SCR / LYM | [%] | 30.6 | 15.0 | 4.6 | 35.2 |
| | | | | | 26.0 |

| Parameters | Mean | Limit % | Limit # | Range | Barcode |
|----------------------------|-----------------------|---------|---------|-------|---------|
| W-MCR / MXD | [%] | 10.9 | 25.0 | 2.7 | 13.6 |
| | | | | | 8.2 |
| W-LCR / NEUT ¹⁾ | [%] | 58.5 | 7.0 | 4.1 | 62.6 |
| | | | | | 54.4 |
| W-SCC / LYM ¹⁾ | [10 ³ /μL] | 2.2 | 15.0 | 0.3 | 2.5 |
| | | | | | 1.9 |
| W-MCC / MXD ¹⁾ | [10 ³ /μL] | 0.8 | 25.0 | 0.2 | 1.0 |
| | | | | | 0.6 |
| W-LCC / NEUT ¹⁾ | [10 ³ /μL] | 4.1 | 10.0 | 0.4 | 4.5 |
| | | | | | 3.7 |
| W-SMV | [fL] | 59.4 | 18.0 | 10.7 | 70.1 |
| | | | | | 48.7 |
| W-LMV | [fL] | 188.7 | 15.0 | 28.3 | 217.0 |
| | | | | | 160.4 |
| RDW-SD | [fL] | 35.8 | 15.0 | 5.4 | 41.2 |
| | | | | | 30.4 |
| RDW-CV | [%] | 10.6 | 15.0 | 1.6 | 12.2 |
| | | | | | 9.0 |
| PDW | [fL] | 7.3 | 10.0 | 0.7 | 8.0 |
| | | | | | 6.6 |
| MPV | [fL] | 8.6 | 8.0 | 0.7 | 9.3 |
| | | | | | 7.9 |
| P-LCR | [%] | 9.2 | 60.0 | 5.5 | 14.7 |
| | | | | | 3.7 |
| PCT | [%] | 0.21 | 24.0 | 0.05 | 0.26 |
| | | | | | 0.16 |

1) These parameters values should be used as a reference only.